



Next-Level

Locking Solutions

Unbeatable Together

Durable DIRAK Design Meets Smart iLOQ Technology

Electrical power, telecommunications, traffic control and many other industries require reliable latching solutions for equipment enclosures. As the leader in industrial enclosure latching, we are now taking our latches to the next level:

Our latest line of products combines maximum security and flexibility to create an ideal solution. These DIRAK-exclusive handles are tailormade to work with the iLOQ line of electronic access control lock cores. Many latches feature IP65-level environmental protection and RC2-class vandalism protection.



Protection against vandalism thanks to sturdy design



Weather-resistant and durable



Access management with NFC technology



Many options to fit a variety of applications.



Product Line for iLOQ



D50S Half Cylinder



- Durably designed, many with IP65 and RC2 ratings.
- Numerous variants for a wide range of applications
- Drop-in replacement for easy retrofitting into existing cabinets.

- ✓ NFC technology: Wireless access powered by your smartphone
- ✓ Failsafe: No auxiliary power source is needed
- ✓ Flexible: Manage user access through the app







Smart Access Control

Keys can be lost or end up in the wrong hands. Digital access permission by app is flexible, secure and can be granted or withdrawn at any time.



Simple. Protected.

Security for Critical Infrastructure

Our new adultions for iLOQ withstand challenges ranging from weather conditions to opportunistic vandalism, as demonstrated by our study at Glasfaser Nordwest.



Simple. **Assembled.**

Upgrade Existing Cabinets

Our solutions are not only suitable for original equipment, but they are also easily retrofittable into many existing cabinets. For demanding applications

Custom-made solution portfolio

Electrical power, telecommunications, traffic and many other sectors require reliable latching solutions for industrial enclosures. As the specialists for latching systems, we are now going one step further:



EV Infrastructure



Automation Equipment



Transportation



Telecommunications



Electrical Infrastructure



IT and Data Centers



Traffic Engineering



Energy and Energy Storage

















Swinghandle RS 130 for Rod Latch

Would you like maximum security for your rod-latch equiped enclosure? Our swinghandle RS 130 is the ideal choice. Protected to IP65, it is available in many different versions.

Product system number

2-110.01

Protection class IP65

Field of application Indoor and outdoor

Closing rotation 135°

Cutout Ø 46 or 46

Assembly Left or right

Material Swinghandle zinc die, Dish PA











Swinghandle RS PrC

The sturdy all-rounder: This swinghandle is ideally suited for almost anyapplication and features a smart design that meets both aesthetic and functional requirements.

Product system number

2-090.05

Protection class

IP65

90°

Field of application

Indoor and outdoor

Closing rotation

Cutout

PrC or 150x25

Assembly

Left or right

Material

Swinghandle and Dish zinc die

Color

Black





Swinghandle RS 130 for Round Rods

Our chameleon for outdoor applications: The sturdy RS swinghandle for round rods has more than 16 variants to ensure it is suitable for variety of verticals and applications.

Product system number 2-110.01

Protection class IP65

Field of application Indoor and outdoor

Closing rotation 135°

Cutout Ø 46 or 46

Assembly Left or right

Material Swinghandle zinc die, Dish PA









Swinghandle RS 105

Protected against dust and water, protected against vandalism: If you want optimum protection for your iLOQ cylinder, this swinghandle is the obvious choice. It meets the requirements of IP65 and resistance class RC2.

Product system	number	2-104.01
----------------	--------	----------

Protection class IP65

Field of application Indoor and outdoor

Closing rotation 90°

Cutout 46

Assembly Left or right

Material Swinghandle and Dish zinc die

Color Black and gray





Swinghandle for Flat Rods

Product system number

Do you want optimum protection for your critical data?

Then this swinghandle is the ideal solution for you. Many variants and adapter solutions ensure that most rack-types are covered.

3-150.06

Protection class	IP65
Field of application	Indoor and outdoor

Closing rotation 90°

Cutout PrC or 150x25

Assembly Left or right

Material Swinghandle and Dish zinc die









Swinghandle for Rod Latches

Our solution for smart access control with rod latches: This swinghandle is not only designed to fit iLOQ cylinders precisely, it is also protected against dust and water to IP65.

Product system number

2-300.01

IP65

Protection class

Field of application Indoor and outdoor

Closing rotation 135°

Cutout Ø 46 or 46

Assembly Left or right

Material Swinghandle and Dish PA





Swinghandle for Bolt Rod Latch with Internal Release

Our swinghandle for bolt rod latch with internal release is the best choice for door thicknesses from 20 to 106 mm. It offers high protection value in multiple variants.

Product system number

....

Protection class

IP65

2-400.02

Field of application

Indoor and outdoor

Closing rotation

90°

Cutout

Ø 46 or 46

Assembly

Left or right

Material

Swinghandle and Dish zinc die

Color

Black









Swinghandle for Bolt Rod Latch

Unfazed by vandalism and the effects of weather: our swinghandle for bolt rod latches. Thanks to the sturdy design rated to IP65, it is protected against dust and water.

Product system number 2-340.02

Protection class IP65

Field of application Indoor and outdoor

Closing rotation 135°

Cutout Ø 46 or 46

Assembly Left or right

Material Swinghandle zinc die, Dish PA





Swinghandle RS 105

You want heavy-duty protection for your enclosure? The RS 105 swinghandle is the ideal solution. This sturdy latch is protected against unauthorized access an internal reinforcement that ensures RC2-level break-in resistance, and thanks to an integrated foamed seal, is IP65 rated according to DIN EN 60529.

Product system number 2-105

Protection class IP65

Field of application Indoor and outdoor

Closing rotation 135°

Cutout 46

Assembly Left or right

Material Swinghandle and Dish zinc die











Escutcheons

To provide added protection for iLOQ profile cylinders, we have developed a line of escutcheons that can be used in conjunction with the iLOQ profile cylinders.

These escutcheons provide a durable and protective surround that helps protect the iLOQ from intentional or accidental damage.

They can be secured from the front or rear and can be purchased with installation templates for simplified installations and retrofits.

Product system number	6-117	
Field of application	Indoor and outdoor	
Assembly	Can be secured from the front or rear	
Suitable	Suits various insert locks	
Material	Escutcheon zinc die, adapter plates PA or aluminum	
Color	Black or matt chrome plated	



